September 1991 NSRP 0340

SHIP PRODUCTION COMMITTEE
FACILITIES AND ENVIRONMENTAL EFFECTS
SURFACE PREPARATION AND COATINGS
DESIGN/PRODUCTION INTEGRATION
HUMAN RESOURCE INNOVATION
MARINE INDUSTRY STANDARDS
WELDING
INDUSTRIAL ENGINEERING
EDUCATION AND TRAINING

THE NATIONAL SHIPBUILDING RESEARCH PROGRAM

1991 Ship Production Symposium Proceedings: Paper No. IVA-2 Management of Technological Change and Quality in Ship Production

U.S. DEPARTMENT OF THE NAVY
CARDEROCK DIVISION,
NAVAL SURFACE WARFARE CENTER

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE SEP 1991				3. DATES COVERED	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER	
The National Shipbuilding Research Program, 1991 Ship Production Symposium Proceedings: Paper No. IVA-2: Management of				5b. GRANT NUMBER	
Technological Change and Quality in Ship Production				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Surface Warfare Center CD Code 2230-Design Integration Tools Bldg 192, Room 128 9500 MacArthur Blvd, Bethesda, MD 20817-5700				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFIC	17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF		
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	SAR	9	RESPONSIBLE PERSON

Report Documentation Page

Form Approved OMB No. 0704-0188

DISCLAIMER

These reports were prepared as an account of government-sponsored work. Neither the United States, nor the United States Navy, nor any person acting on behalf of the United States Navy (A) makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness or usefulness of the information contained in this report/manual, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or (B) assumes any liabilities with respect to the use of or for damages resulting from the use of any information, apparatus, method, or process disclosed in the report. As used in the above, "Persons acting on behalf of the United States Navy" includes any employee, contractor, or subcontractor to the contractor of the United States Navy to the extent that such employee, contractor, or subcontractor to the contractor prepares, handles, or distributes, or provides access to any information pursuant to his employment or contract or subcontract to the contractor with the United States Navy. ANY POSSIBLE IMPLIED WARRANTIES OF MERCHANTABILITY AND/OR FITNESS FOR PURPOSE ARE SPECIFICALLY DISCLAIMED.



THE SOCIETY OF NAVAL ARCHITECTS AND MARINE ENGINEERS 601 Pavonia Avenue, Jersey City, N.J. 07306

Paper presented at the 1991 Ship Production Symposium.
The Pan Pacific Hotel, San Diego, California. September B-6, 1991.

Management of Technological Change and Quality in Ship Production

IVA-2

Ernst G. Frankel, Life Member, Massachusetts Institute of Technology

ABSTRACT

Ship production, as other manufacturing and assembly activities, must keep up with technology to assure achievement of required productivity, quality, and technological advance expected by an increasingly demanding market place. The ship market has not only become technologically sophisticated, but customers now no longer buy on price alone. They want quality in design, detailing, operability, maintainability, reliability, usability, all in addition to a fair price, reliable delivery schedule and effective follow on service. In other words, the shipbuilding industry is finally emerging as a market conscious, responsive industry aware of user needs.

To perform this newly rediscovered function, shipbuilding has to assure better management of technological change in both product and process technology and assure continuous total quality management from design and production to delivery and follow. Many shipbuilders are new at this because many assumed a seller's market place.

In this paper, the management of technological change and quality in ship production is presented as a formal step by step procedure which should be undertaken at regular (quarterly or at least yearly) intervals to assure that the yard maintains its quality and performance in process and product terms.

INTRODUCTION

The rapid technological change both shipbuilding products (ship technology) and ship production technology, as well as the increasing pressure of changes in the availability and costs of factors or resources used requires a more effective, timely and responsive management of ship production technology. As noted in other industries, changes in product and

process technology are invariably tied to demands not only for improved product quality, but total quality management. In this paper, we review the major aspects of effective management of technological change and total quality.

Technological change which for a long time was more an issue of prestige and capacity than a management decision based on the need for performance in financial, quality, and product effectiveness terms, is finally emerging as the single, most important function of shipyard management.

Similarly, quality - which for too long implied meeting (often minimum acceptable) standards - now means achievement of near perfection in product design, process and assembly performance, schedule, and product delivery and backup. In other words, quality now means meeting customer requirements and expectations.

Zero defect or achievement of the highest quality possible in processes does not by itself constitute quality performance. Ιt includes effectiveness or fitness for use of the product (the ship), it includes quality of management from design to post delivery customer support, and it includes a never ending thriving towards greater perfection. It also involves quality in organization, team work, and interpersonal relations. As a result, quality performance improves the motivation and commitment of all in the organization to improvements in performance. In other words, effective technological change (in product, management, procedures, and processes), and total quality are interdependent.

Over the years the link between technological change and quality has been forged by people like:

- Deming in Statistical Process Performance Analysis;
- Ishikawa in Methods of

Evaluation of Process Outcomes; and,

- Taguchi in the Analysis of the Consequences of Quality.

Several $% \left(\frac{1}{2}\right) =\frac{1}{2}\left(\frac{1}{2}\right) =\frac{1}$ particularly in lack commitment and integrity, that it is difficult to install incentives, and that shipbuilding is not suitable for introduction of advanced process and management technology. Furthermore, many have felt that it is a craft type industry in which total quality is difficult to manage because there are so many unknowns.

others from effective technology and quality management, as noted from the productivity and quality improvements achieved by high labor cost countries such as Japan and Germany who have introduced thousands of robots and other advanced product design and process technology equipment to achieve major improvements in productivity and total quality.

THE PROCESS OF MANAGING TECHNOLOGICAL CHANGE AND QUALITY

Managing technology and quality requires continuous updating of situation audits in which the existing performance of technology and people (including procedures, etc.) is evaluated in order to determine how well these most important factors perform. Table I is a simple listing of the major steps used in the management of technology and quality. In today's environment, large enterprises and particularly shipyards must update their situation audit at regular intervals by determining their situation audit at regular intervals. A typical outline of a situation audit is shown in Table II. After the condition of the shipyard has been established, its objectives in financial, product, market share, and in other terms must be reviewed.

The performance of the currently used technology and the application of resources in its uses can best be determined by computing both total and partial factor productivities for individual processes, process centers, and the whole shipyard (complemented by computation of the total and partial productivity learning curve to determine the current and expected future role of change of productivity) by tracking productivities from audit to audit.
This also provides effective signals of impending changes and projections of possible improvements in performance, if any. This is particularly important in shipbuilding where shipyards seldom

TABLE I - MAJOR STEPS IN THE MANAGEMENT OF TECHNOLOGY AND QUALITY

Technology Situation Audit

- Determination of Market Niche Performance of Existing Technology
- Availability and Cost of Factors

- Objective Review and Setting
 Evaluation of Market (Product) Market Share, Economic Strategic Objective
 - Setting of non-conflicting multi-
- objectives

Technology Evaluation & Forecast - Identification of Product and

- Process Technologies - Forecast and Evaluation of
- Technology Developments

Market Demand

- Establishment of Market-Product Demand,
- Establishment of Market-Quality Demand
- Establishment of Competitive Market Factors

5. a n d Reevaluating Setting Constraints

Analysis of Regulatory Constraints

- -Analysis of Financial Constraints Analysis of Environmental Constraints
- Determination of Labor and Resource Availability Constraints

Threat and Opportunity Analysis 6.

- Identification and Quantification of Threats and Opportunities

Technology Feasibility

Determination of Basic Feasibility - Determination of Constraint Feasibility - Determination of Competitive Feasibility

Selection of Technology for Change 8.

Selection of Decision Requirements

- Expert Choice Modeling

Comparative Performance Evaluation

Management of Technological Change

- Planning and Management of Technology Transfer
- Technology Implementation

TABLE II - SITUATION AUDIT

- 1. Current performance of organization, plant, processes, resource use, etc.
- 2. Position in learning curve of different technologies in use.
- Availability and cost of factors (labor, capital, subcontractors, services, etc.).
- 4. Place in market Product acceptance Market niche.
- 5. Organizational condition-Manpower status Public acceptance.

benefit from long runs of near identical products. It is therefore important to track changes in productivity with changes in product, and use these results as a guide to marketing, to prevent sliding into markets a particular shipyard which may be ill equipped to compete, as shown in Figure 1. The learning curves also help to show the stage of development of the technologies in use and the potential for further improvements.




Figure 1 - Change in Learning Curve with Product Change

Although learning curves do not indicate the diffusion or state of innovation of the technology per se, they do indicate if and when technology in use will no longer offer improvements. Similarly learning curves of competing technologies provide an effective means for determining their state and potentials. This is important particularly as we normally know the state of the technologies on the "S", or

technology development, curve when first introduced (Figure 2).




Figure 2 - Technology Development Cycle

This permits an evaluation of our use of the technology. In other words, did we move down the learning curve in line with the technology improvements on the "S" curve achieved during the period since introduction of the technology in our plant?

The availability and cost of factors are determined in both real and current terms and include evaluation of their accessibility. Here one must also determine our factor costs in relation to that of competitors. The place in the market is determined in both absolute and relative terms. Finally, review manpower availability, organizational structure, staff morale, and teamwork is required.

The next issue is the reevaluation of the yards' objective. Traditionally this was simple short term profit maximization, but one increasingly finds that objectives cannot only be financial and should certainly be medium to long They should include market term. penetration and share, product uniqueness, and other strategic goals which advance financial objectives indirectly. The objectives should be clearly stated and have associated metrics in absolute and comparative terms, to permit testing of the impact of changes on the overall multiobjective function.

Technology evaluation should be a continuous activity in which both product and process technologies are tracked in terms of their state of development, performance, and demand. New potentially useful product and process technologies should be identified (often in completely unrelated fields). To forecast technological developments, cross-impact analysis is useful, supplemented by technology development ("S" curve)

analysis, to determine the status and trend of development of a technology on the basis of the factors driving that technology's development. This often includes estimates of the diffusion of the technology both within shipbuilding and the shipbuilding market, as well as in other sectors.

such technology status audits should be performed regularly, and information on technology developments recorded in a standard and usable form. The result of this stage of the management analysis should be sets of "S" or technology development curves with the current state and associated diffusion achieved by the respective technologies, as shown in Figure 2.

Market demand is next determined in terms of product characteristics, quantities, and quality. Price/quality relationships should be established and related -to process technology requirements and costs. Similarly, competitive market factors must be identified in terms of product, quality, quantity, price, and delivery time. These results can then' be used to establish demand curves, which in turn permit computation of demand elasticity with respect to product technology (ship type, etc.) price and quality. Deployment or Quality Function Deployment is a widely used tool to translate "the voice of the customer" into product and process characteristics, and to develop comparative market analyses.

Next, all the constraints in terms of regulations, financing limits, labor and resource availability, work rules, and more must be defined. A typical shipyard situation audit lists the:

- 1. work in process;
- 2. material inventory by volume
 and value;
- cumulative and marginal cost of work in process and materials inventory;
- 4. order book (volume and value);
- 5. current process productivity and status on learning curve;
- 6. resource (processes, facilities, workforce, etc.) use and percent utilization of capacity;
- 7. relative process productivity or comparative costs (when compared with major competitors or in case of material or service supplies with costs of alternative suppliers);

- 8. current constraints such as credit lines, costs of capital, availability of labor, work rules, environmental protection requirements, etc.;
 - 9. market position, market share,
 etc.;
 - 10. current organization, decision structure, MIS, etc.; and
 - 11. other.

This concludes the situation audit and establishes the existing conditions as well as the trends and opportunities. It also permits identification of potential threats (such as obsolescence of currently used technology or product lines).

The shipyard is therefore now in a position to define near term as well as strategic threats and opportunities and associate these with resulting consequences (given they materialize), assuming the present state, in terms of resource use, market, and operations, is maintained by the shipyard.

At the same time, ranges of possible outcomes, resulting from the implementation of various new strategies, are defined based on actions taken to counter threats or advance benefits offered by opportunities. A formal approach to such a threat/opportunity analysis is given in Reference 1.

The actual management of technological change is now set to be performed. This usually starts with a technology feasibility determination. One attractive approach to determine the feasibility of various technologies within resource constraints is to use a technology performance diagram as shown in Figure 3. Assuming the isoquants of all alternative technologies are known in terms of limited resources, such as capital and labor, it is easy to determine the feasibility of alternative (process) technologies as certain required levels of output (isoquant levels), thereby eliminate those technologies which cannot be feasibly used within these constraints, and which otherwise would result in their operating below their most efficient levels.

Assume for example that semi-automated welding technology B is currently in use with an optimum (least cost) level of operation at the required output $\mathbf{q}_{\scriptscriptstyle 1}$ at which the isocost of say $\mathbf{C}_{\scriptscriptstyle 1}$ is tangential to the isoquant $\mathbf{q}_{\scriptscriptstyle 1}$ and the expenditure for labor is equal to that for capital and both consume $\mathbf{C}_{\scriptscriptstyle 1}2$.




Figure 3 - Technology Performance Diagrams

A new automated welding process, technology A, with a greater learning (productivity improvement) potential now becomes available. For an output of q₁ it also requires a cost of C₁, but capital expenditure at this time is 2C₁/3. While labor costs are only C₁/3. While a switch to the new capital intensive technology A may not provide immediate advantage, improved productivity and potential future increases in labor costs may make a change over to A quite attractive.

In addition to the resource constraint, feasibility, quality, cost (or productivity), and similar constraints must be determined. only process technologies which satisfy all these feasibility requirements are maintained among process technology choices. Similarly, potential product technologies must be subjected to-market demand feasibility. price feasibility. and related tests to be maintained in the choice list. Here it is found useful to compute traditional microeconomic demand curves not only in terms of volume of demand as a function of price, but also include demand as a function of performance, quality, etc. and in turn relate price (or cost and profit) to performance and quality and the resulting impact on demand. In most cases such demand feasibility can be determined by use of traditional marketing procedures.

Finally, the stage is reached at which selections can be made from among the process and product technology choices identified, which passed the feasibility test. For this purpose, it

is advisable to use an expert choice decision model (described in more detail in another paper by the author).

Such a hierarchical model permits the introduction of all the feasible technological alternatives (for particular problem or market), the various outcomes, the threats and opportunities possibly affected by the choice of technology for that purpose, the various performance measures, and, finally, the outcomes of objectives conditioned by the choice of technology and materialization of a threat or opportunity.

Sometimes there is more than one decision maker involved such as in product technology choice where users, owners, the shipyard, and investors may all place different weights on the various objectives.

Using a method of pairwise comparative weighing, the priority each decision maker places on each technology can be determined in terms of its

- a. performance (quality, output, etc.),
- b. cost,
- c. effectiveness to counter
 threats or take advantage of
 opportunities, and
- d. importance of objectives t o the decision maker.

In this manner, the alternative technologies can be ranked and an effective choice can be made. Now remains only the management of the actual transfer and implementation of the technology.

CONCLUSIONS

The formal approach to the management of technological change decisions in processes and products is particularly important in shipbuilding where process and product changes usually involve large investments and resources and long term commitments. It is therefore important to assure that technological change decisions are made formally, rationally, and based on the best knowledge of one's own condition, technological opportunities, impending opportunities and threats, existing and future constraints in such a way as to most effectively advance the objectives of the shipyard.

REFERENCES

1. Frankel, E. G., "Management of Technological Change", John Wiley Interscience, New York, New York,

December 1989.

2. Frankel, E. G., "Project Management in Engineering Services and Development", Butterworth Scientific, London, December 1989.

Additional copies of this report can be obtained from the National Shipbuilding Research and Documentation Center:

http://www.nsnet.com/docctr/

Documentation Center
The University of Michigan
Transportation Research Institute
Marine Systems Division
2901 Baxter Road
Ann Arbor, MI 48109-2150

Phone: 734-763-2465 Fax: 734-936-1081

E-mail: Doc.Center@umich.edu